

Wall Tiles Collection - 2017

300x450mm

www.sunlandceramic.com

Wall Tiles Collection 2017

Wall Tiles

300x450mm



Digital Wall Tiles

Sunland Ceramic Pvt. Ltd.

Unchi Mandal, Morbi - Halvad Road,
Ta.: Morbi, Dist.: Morbi, (Gujarat) INDIA
Ph.: 02822-294004, Cell : +91-99782 06644, +91-99249 82098
Customer Care : +91-98795 82083
E-mail : info@sunlandceramic.com

Wall Tiles Collection - 2017

Let's make In'ovative !

300x450mm

DIGITAL WALL TILES

12X18

Wall Tiles Collection 2017

Wall Tiles

300x450mm



Digital Wall Tiles

Let's make In^ovative !


Dear Customer,

We Cordially welcome you to the Dreamworld of **SUNLAND** Wall tiles !!
Watch the wide expanses of our wonderful collection having amazing colors,
designs and the Smoothest finish with equally high quality.

We believe in everlasting and sweet relationship with our esteemed customers,
which is possible only by giving you the elegant and highest quality product.
Choose the colors & designs you dream and leave the worry about quality to us.
SUNLAND is a company committed to quality and total satisfaction of the
customer...

Let us begin an everlasting - sweet relationship...

DIGITAL
WALL TILES



Digital Wall Tiles






beauty

with
glossy


Glossy tiles are slippery nature makes them ideal for use on bathroom walls, or as kitchen splash backs, as they are wipe-clean.




301 - L



301 - HL



301 - D



301 - F



304 - L




304 - HL




304 - D




304 - F




306 - L



306 - HL



306 - L



306 - F



307 - L



307 - HL



307 - D




307 - F




308 - L



308 - HL



308 - D




308 - F




309 - L



309 - HL



309 - D




309 - F







310 - L




310 - HL




310 - D



310 - F




311 - L




311 - HL



311 - D




311 - F



312 - L



312 - HL



312 - D



312 - F



313 - L



313 - HL 1



313 - HL 2



313 - D



313 - F



315 - L



315 - HL 1




315 - HL 2



315 - D



315 - F



316 - L



316 - HL



316 - D




316 - F



317 - L



317 - HL



317 - D



317 - F




318 - L



318 - HL



318 - L



318 - F



319 - L




319 - HL



319 - L



319 - F



320 - L




320 - HL 1



320 - HL 2



320 - F



322 - L



322 - HL



322 - D



322 - F





323 - L




323 - HL



323 - D



323 - F



324 - L




324 - HL



324 - D




324 - F




325 - L



325 - HL



325 - D



325 - F




326 - L





326 - HL



326 - D




326 - F



WHITE - L




327 - HL




WHITE - L




WHITE - F



WHITE - L



328 - HL



WHITE - L




WHITE - F






330 - L



330 - HL



330 - D


330 - F



331 - L



331 - HL



331 - D

331 - F




332 - L



332 - HL



332 - HL 2




334 - L



334 - HL



334 - HL 2



333 - L



333 - HL 1



333 - HL 2



333 - HL 3



333 - HL 4

333 - F





335 - L



335 - HL 1



335 - HL 2




335 - HL 3




335 - HL 4




335 - F



WHITE - L



336 - HL



WHITE - L



WHITE - F




337 - L





337 - HL



337 - D




337 - F




338 - L



338 - HL



338 - D




338 - F




339 - L



339 - HL



339 - D



339 - F





340 - L



340 - HL



340 - D


340 - F



344 - L



344 - HL



344 - D

344 - F



345 - L



345 - HL



345 - L

345 - F



347 - L




347 - HL



347 - D

347 - F



348 - L



348 - HL



348 - D

348 - F



349 - L



349 - HL



349 - D

349 - F





350 - L



350 - HL



350 - D



350 - F



351 - L




351 - HL



351 - D




351 - F




352 - L



352 - HL 1




352 - HL 2



352 - D



352 - F



353 - L




353 - HL



353 - D




353 - F




354 - L



354 - HL



354 - D



354 - F





355 - L



355 - HL



355 - D



355 - F



356 - L




356 - HL



356 - D



356 - F



357 - L



357 - HL



357 - D



357 - F




358 - L




358 - HL 1



358 - HL 2



358 - D



358 - F



360 - L



360 - HL 1



360 - HL 2



360 - D




360 - F



361 - L



361 - HL



361 - D



361 - F



362 - HL 1



362 - HL 2



362 - HL 3




362 - HL 4



362 - HL 5



362 - HL 6



WHITE - F



363 - L




363 - HL



363 - L



363 - F



364 - L



364 - HL



364 - D



364 - F



365 - L



365 - HL



365 - D



365 - F






366 - L



366 - HL



366 - D



366 - F



367 - L



367 - HL



367 - D



367 - F



368 - L



368 - HL



368 - HL 2



369 - L




369 - HL



369 - L

WHITE - F



370 - L



370 - HL



370 - HL 2



370 - L



370 - F





371 - L



371 - HL




371 - D



371 - F



374 - L




374 - HL



374 - D




374 - F




WHITE - L



375 - HL



WHITE - L



WHITE - F



376 - L





376 - HL



376 - D




376 - F




377 - L



377 - HL



377 - D



377 - F




379 - L



379 - HL



379 - D



379 - F





380 - L



380 - HL



380 - D



380 - F



382 - L



382 - HL



382 - L




382 - F




384 - L



384 - HL



384 - D



384 - F



385 - L




385 - HL



385 - D



385 - F



386 - L



386 - HL



386 - L



386 - F



387 - L




387 - HL



387 - L







388 - L



388 - HL



388 - L



389 - L



389 - HL



389 - HL 2



390 - L



390 - HL



390 - D



WHITE - F



391 - L





391 - HL



391 - D




391 - F



392 - L



392 - HL



392 - D



392 - F



393 - L



393 - HL



393 - L



393 - F





394 - L



394 - HL 1



394 - HL 2



394 - D

WHITE - F




395 - L



395 - HL



395 - D




396 - L



396 - HL 1



396 - HL 2





beauty with matt

Matt tiles are an obvious choice for anyone creating a traditional or rustic look within their home. They are easily combined with natural stone




801 - L



801 - HL



801 - D



801 - F




802 - L



802 - HL



802 - D



802 - F



804 - L



804 - HL



804 - D



804 - F



805 - L



805 - HL




805 - D



805 - F



806 - L



806 - HL



806 - D



806 - F



807 - L



807 - HL



807 - D



807 - F





808 - L



808 - HL 1



808 - HL 2



808 - D



808 - F



809 - L



809 - HL



809 - D



809 - F



811 - L




811 - HL



811 - D



811 - F



812 - L



812 - HL



812 - D



812 - F



813 - L



813 - HL



813 - D



813 - F





814 - L



814 - HL



814 - D



814 - F



815 - L



815 - HL 1



815 - HL 2



815 - D



815 - F



816 - L



816 - HL 1



816 - HL 2



816 - HL 3



816 - D



816 - F



818 - L



818 - HL



818 - D



818 - F



819 - L



819 - HL



819 - D



819 - F






820 - L



820 - HL



820 - D



820 - F



822 - L



822 - HL



822 - D



822 - F



823 - L



823 - HL



823 - D



823 - F



825 - L




825 - HL



825 - D



825 - F




826 - L



826 - HL



826 - D



826 - F



827 - L



827 - HL



827 - D



827 - F





847 - L



847 - HL



847 - D



847 - F



848 - L



848 - HL



848 - D



848 - F



860 - L



860 - HL 1




860 - HL 2



860 - D



860 - F



beauty with elevation

Elevation tiles add a touch of glamour and modishness to your exterior walls. The elevation tiles add unique colour and design.





001 - EL - GLOSSY
101 - EL - MATT
201 - EL - HARD MATT




002 - EL - GLOSSY
102 - EL - MATT
202 - EL - HARD MATT




003 - EL - GLOSSY
103 - EL - MATT
203 - EL - HARD MATT



004 - EL - GLOSSY
104 - EL - MATT
204 - EL - HARD MATT




005 - EL - GLOSSY
105 - EL - MATT
205 - EL - HARD MATT



006 - EL - GLOSSY
106 - EL - MATT
206 - EL - HARD MATT




007 - EL - GLOSSY
107 - EL - MATT
207 - EL - HARD MATT



008 - EL - GLOSSY
108 - EL - MATT
208 - EL - HARD MATT



009 - EL - GLOSSY
109 - EL - MATT
209 - EL - HARD MATT



010 - EL - GLOSSY
110 - EL - MATT
210 - EL - HARD MATT



011 - EL - GLOSSY
111 - EL - MATT
211 - EL - HARD MATT



012 - EL - GLOSSY
112 - EL - MATT
212 - EL - HARD MATT





013 - EL - GLOSSY
113 - EL - MATT
213 - EL - HARD MATT



014 - EL - GLOSSY
114 - EL - MATT
214 - EL - HARD MATT



015 - EL - GLOSSY
115 - EL - MATT
215 - EL - HARD MATT



016 - EL - GLOSSY
116 - EL - MATT
216 - EL - HARD MATT



017 - EL - GLOSSY
117 - EL - MATT
217 - EL - HARD MATT



018 - EL - GLOSSY
118 - EL - MATT
218 - EL - HARD MATT



019 - EL - GLOSSY
119 - EL - MATT
219 - EL - HARD MATT



020 - EL - GLOSSY
120 - EL - MATT
220 - EL - HARD MATT



022 - EL - GLOSSY
122 - EL - MATT
222 - EL - HARD MATT



023 - EL - GLOSSY
123 - EL - MATT
223 - EL - HARD MATT




024 - EL - GLOSSY
124 - EL - MATT
224 - EL - HARD MATT




025 - EL - GLOSSY
125 - EL - MATT
225 - EL - HARD MATT





beauty with sugar

Sugar finish tiles are rough in nature and feels like piece of sugar when touch. They add a touch of luxury to your home.



WHITE - L




901 - HL 1



901 - HL 2

WHITE - F



WHITE - L




901 - HL 3



901 - HL 4

WHITE - F



WHITE - L




901 - HL 5



901 - HL 6

WHITE - F



WHITE - L




901 - HL 7



901 - HL 8

WHITE - F



WHITE - L




901 - HL 9



901 - HL 10

WHITE - F



WHITE - L




901 - HL 11




901 - HL 12

WHITE - F






WHITE - L




901 - HL 13



WHITE - L


WHITE - F



WHITE - L




901 - HL 14



901 - HL 15

WHITE - F



WHITE - L



901 - HL 16



901 - HL 17

WHITE - F



902 - L




902 - HL 1



902 - HL 2


WHITE - F



903 - L



903 - HL 1



903 - HL 2

WHITE - F



904 - L




904 - HL 1



904 - L

WHITE - F






905 - L



905 - HL



905 - L

WHITE - F



906 - L




906 - HL



906 - L

WHITE - F



907 - L



907 - HL 1




907 - HL 2



907 - D

907 - F



908 - L



908 - HL 1



908 - HL 2

908 - F



909 - L



909 - HL 1




909 - HL 2



909 - D

909 - F



910 - L



910 - HL




910 - D

910 - F




POSTER - 51

S.MATT FINISH 8 - PICS



POSTER - 53

S.MATT FINISH 8 - PICS



POSTER - 52

S.MATT FINISH 4 - PICS



POSTER - 54


S.MATT FINISH 4 - PICS



POSTER - 55 4 - PICS S.MATT FINISH



POSTER - 55 - D



POSTER - 57 S.MATT FINISH 6 - PICS



POSTER - 57 - D



POSTER - 56 3 - PICS S.MATT FINISH



POSTER - 59 GLOSSY FINISH 4 - PICS



POSTER - 58 GLOSSY FINISH 4 - PICS

FIXING WALL TILES



Wall Requirements

The wall should be clean and flat. Surface should be smooth. The wall should not be waxed/painted.



Tiles Preparation

Mix the tiles from different cartons which will help in fine blending of shades. Ample lighting should be provided. Each box should be spread & mixed on the floor to check for any variation. Mixing of tiles brings harmony to shade by avoiding obvious patches. Prior to fixing, tiles should be immersed in water for 15/20 minutes.



Tiles Laying

Apply a high-quality ceramic adhesive on the wall and place the first tile on the corner. Apply even pressure on the four corners of tiles to ensure adhesion of tiles to substrate. Cover the area of wall that can be done without cutting tiles and leave it for at least 12 hours. Cover the rest of area with the measured and cut tiles as per requirement.



Tamping Process

To ensure the proper contact of tile with the wall, evenly tamp the tiles. Tiles should be fixed on the bed by sliding & tamping with wooden or rubber mallet. Spacers between the tiles should be between 2-5mm as per the usage & area of application. Remove spacers after 24 hours from laying the tile.



Applying Grout

After 24 hours of laying of tiles, the grouting is done. Always use good quality grout. Apply the grout diagonally between the tiles using a sponge to fill the gaps between the tiles. Fill the joints with grouts as directed by Grout manufacturers. Clean and wipe the surplus grout with a sponge, or as indicated by manufacturer.



Curve Cutting

To fit the tile around a curved surface of wash basin etc. measure and mark the curve on cardboard and place the cardboard on the tile to cut it.



Round Cutting

To pass a pipe through the tile, the tile has to be cut in a specific manner. Mark it's position on the tile. Draw a straight line passing through the center of the circle. Cut the tile on the line drawn. Cut the semi-circles on each of the half, these two halves placed together will form a hole.



Window Recess Tiling and Cutting

Tile has to be cut in "L" shape for window recess. Cut a line from center to edge and then draw a right angle line vertically down. Cut the tile to get an "L" shape that can fit a window recess.



Accessory Tiles Fitting

While laying the normal tiles, keep an empty space where accessory tiles will fit. Apply the adhesive on the back of accessory tile and then place it uniformly in the space and apply even pressure to place the accessory tile.



Tile Drilling

Apply masking tape to cover the area to be drilled. Mark the position of hole and drill the hole with lowest possible pressure on the drill.

UTILITY OF WALL TILES



MULTIPLEX



HOTEL



SCHOOL



AIR PORT



GYMNASIUM



SUPER MARKET



HOSPITAL



INDUSTRIES



BANK



HOME



RELIGION PLACE



GYMNASIUM



DANCE MALL

TECHNICAL SPECIFICATION

CHARACTERISTICS	EURO STANDARDS EN - 159 / IS 13753	OUR VALUES
-----------------	---------------------------------------	------------

Dimension & Surface Quality

1. Dimension & Surface Quality	± 0.5%	± 0.2%
2. Deviation in Thickness	± 0.6 mm	± 0.2 mm
3. Straightness of sides	± 0.3%	± 0.2%
4. Rectangularity	± 0.5%	± 0.3%
5. Surface Flatness	± 0.5%	± 0.3%
6. Surface Quality	Min 95%	Min 96%

Physical Properties

1. Water Absorption	> 10%	> 12% to 17%
2. Bending strength	> 14 N / mm ²	> 15 N / mm ²
3. Scratch Hardness (Mohs)	Min 3	Min 3
4. Crazeing	1 Cycle	No Crazeing at 4 Cycle

Chemical Properties

1. Staining Resistance	Min Class 2	Resistance to all Acids and Alkalies & Household Chemicals, Except Hydro Flouric Acid
2. Household Chemical	Min Class B	

Thermal Properties

1. Thermal Shock	Resistance to 10 Cycle	CONFORMS
------------------	------------------------	----------

SIZE (mm)	No. of Tiles per Box	Area Coverage (Sq. M.)	Weight per Box (Kg.)
300 x 450	6 Pieces	0.81	11.00 Kg. (Approx)

Note.

Colours shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to change the specifications without prior notice. Sometimes variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advice you to follow the fixing instruction on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.